

Antiquity

<http://journals.cambridge.org/AQY>

Additional services for **Antiquity**:

Email alerts: [Click here](#)

Subscriptions: [Click here](#)

Commercial reprints: [Click here](#)

Terms of use : [Click here](#)



Longquan Cave: an early Upper Palaeolithic site in Henan Province, China

Shuisheng Du, Xuan Li, Li Zhou, Haijiao Pang, Ofer Bar-Yosef and Xiaohong Wu

Antiquity / Volume 90 / Issue 352 / August 2016, pp 876 - 893

DOI: 10.15184/aqy.2016.108, Published online: 19 July 2016

Link to this article: http://journals.cambridge.org/abstract_S0003598X16001083

How to cite this article:

Shuisheng Du, Xuan Li, Li Zhou, Haijiao Pang, Ofer Bar-Yosef and Xiaohong Wu (2016). Longquan Cave: an early Upper Palaeolithic site in Henan Province, China. *Antiquity*, 90, pp 876-893 doi:10.15184/aqy.2016.108

Request Permissions : [Click here](#)

Longquan Cave: an early Upper Palaeolithic site in Henan Province, China

Shuisheng Du^{1,*}, Xuan Li^{1,2}, Li Zhou², Haijiao Pang³, Ofer Bar-Yosef⁴ & Xiaohong Wu⁵



The Palaeolithic sequence of East Asia differs from that of western Eurasia in that it is characterised by core-and-flake tools. Blade industries only appear late in the sequence, long after the first appearance of modern humans; bone tools and personal ornaments may therefore function as a better marker of modern human presence. Longquan Cave provides vital new evidence to this effect, with dated hearths indicating an initial occupation around 40 kya cal BP, followed by a second period of activity around 35–31 kya cal BP. They are associated with a polished bone awl and a structured division of settlement space, features typically associated with modern humans.

Keywords: China, Longquan Cave, Palaeolithic, lithics, quartz, bone tool, radiocarbon dating

Introduction

The dispersal of modern humans from Africa into different regions of Eurasia some 50 000 years ago is generally seen to mark the onset of the Upper Palaeolithic, a period originally defined in Western Europe. Palaeogenetics demonstrate that this dispersal followed multiple pathways through southern Arabia and the Levant, and this has led scholars from various scientific fields, particularly archaeologists, to search for concrete evidence (e.g. Barker *et al.*

¹ School of History, Beijing Normal University, 19 Xijiekouwai Dajie, Beijing 100875, China

² Luoyang Academy of Cultural Relics and Archaeology, 232 Kaiyuan Dadao, Luoyang 471000, China

³ Luanchuan Cultural Relics Administrative Institute, 55 Xinghua Xijie, Luanchuan 471500, China

⁴ Department of Anthropology, Harvard University, 11 Divinity Avenue, Cambridge, MA 02138, USA

⁵ School of Archaeology and Museology, Peking University, Jingchun Road, Haidian District, Beijing 100871, China

* Author for correspondence (Email: ssdu@bnu.edu.cn)

2007; Habgood & Franklin 2008; Bar-Yosef & Belfer-Cohen 2013; Mellars *et al.* 2013). Research in western Eurasia disclosed a scenario that involves the demise of the Neanderthals and their replacement by modern humans. Interactions between the two populations led to the embedding of Neanderthal genes in the genome of modern populations from the Atlantic to the Pacific coasts (e.g. Green *et al.* 2010). In China and other countries in East and Southeast Asia, however, the archaeological evidence for this period is poorly understood. The colonisation of Australia some 45 ± 5 kya cal BP indicates that technological capacities were sufficiently advanced to allow the colonisers to cross open seawater and reach Sahul (the continent of New Guinea and Australia, and several islands of Oceania) (Balme 2013), although the nature of their vessels is unknown. The stone tool industries of Sahul were derived from either South China or Southeast Asia (Barker *et al.* 2007), and share similar core-and-flake knapping strategies. These differ from the well-known blade industries that characterise western and northern Eurasia, and indicate that the colonisers did not arrive from India.

Archaeological research demonstrates a major difference between the Palaeolithic sequence of China (e.g. Dennell 2009; Gao 2013; Bar-Yosef 2015a) and that of most of Eurasia. Core-and-flake industries dominated throughout much of the sequence in mainland China, until a major change occurred during the late Pleistocene. From about 26–25 kya cal BP, a bladelet technology, known as a ‘microblade industry’, spread through northern China (e.g. Chen 2007; Du 2007; Zhang *et al.* 2011; Qu *et al.* 2013; Bar-Yosef 2015b), while the core-and-flake industry continued to be produced in the south. Against the background of these technological changes, identification of the presence of modern humans is not, therefore, a simple issue. A major reconsideration was prompted by the discovery of modern human bones dated to around 40 kya in Tianyuan Cave, near the famous Zhoukoudian Cave (Shang *et al.* 2007; Shang & Trinkaus 2010), and by the ensuing genetic analysis (Fu *et al.* 2013). This find would suggest that the onset of the so-called Upper Palaeolithic is to be placed at around that date. If, however, we use the western Eurasian concept of blade industries as the marker of the Upper Palaeolithic, the Chinese lithic material does not support this contention. Unlike western Eurasia, where modern humans appear alongside the blade industries that characterise the Upper Palaeolithic, in China there is no such coincidence between the appearance of modern humans approximately 40 000 years ago and the development of new types of lithic technology.

Undoubtedly, this is one of the key challenges that research on the Palaeolithic of mainland China poses to the long-accepted terminologies of western Eurasia (e.g. Bar-Yosef 2015b). Previous analysis of a large number of lithic assemblages and associated finds suggests that a few bone tools and body decorations are present by 35–30 kya cal BP (Qu *et al.* 2013). The largest such collection was discovered in the Upper Cave at Zhoukoudian together with a quartz core-and-flake industry. A similar case is the cave of Ma’anshan where the same lithic industry was associated with a large collection of bone tools (Zhang *et al.* 2016). Also of note is the site of Shuidonggou 2, where ostrich eggshells were associated with the same kind of core-and-flake industry, dated to around 32–28 kya cal BP (Pei *et al.* 2012). An obvious proposal, therefore, would be that the making of bone tools—even where only a single one is present—marks the onset of the new period within the Palaeolithic cultural sequence of the Chinese mainland. The discovery of Longquan Cave, reported here, provides additional evidence.




Figure 1. The location of Longquan Cave in Luanchuan County, Henan Province.

Longquan Cave

Longquan Cave ($33^{\circ}47'24''\text{N}$, $111^{\circ}36'28''\text{E}$) is located in Longquan Mountain Park in Luanchuan County, Henan Province, China (Figure 1). The site was discovered by the Luanchuan Cultural Relics Administrative Institute, and a systematic investigation was conducted in the spring of 2011 by a joint archaeological team from Beijing Normal University and Luoyang city. During the excavations, stone artefacts, animal bones and a two-layer hearth were uncovered, as well as a unique bone point.

The immediate environment of Luanchuan County, in the west of Henan Province, is the Funiu Mountain area. Mountains and valleys cover the majority of this region. The rivers mostly flow into the Yihe River, which eventually joins the Yellow River via the Luohe River. A small number of streams flow westwards into the Hanshui River. The major soil types lie over Precambrian metamorphic and magmatic rocks, with some Cenozoic exposures along the valley sides.

Longquan Cave faces east, and is situated about 6m above the Yihe River. The cave is heavily damaged by erosion and by recent quarrying of its limestone roof and walls. The remainder of the roof is partly collapsed and the sediments in the central part of the exposed area have been washed away (Figures 2 & 3). Preserved layers were found at the back of the cave near the southern, western and northern walls. The site was excavated within a




Figure 2. Cross-section of the different zones inside Longquan Cave.



Figure 3. Longquan Cave (photograph credit: Shuisheng Du).

grid of 1m² sections and subdivided into zones A–D (Figure 2). Zone C had the deepest stratigraphy, followed by zones B, A and D, which are briefly described here.

Zone A: Near the current south-west entrance, this was the largest of the three excavated zones, with an area of around 8m² excavated in 50mm arbitrary spits. It revealed the northern edge of a double hearth that had been destroyed when the front area of the cave was quarried. Most of the cultural remains were retrieved from the southern, interior part of this zone.

Zone B: Due to safety concerns arising from the partially collapsed roof, the deposits in this area were not excavated.

Zone C: Zone C was located in the lowermost area of the cave adjacent to zone D. It too covered an area of around 8m², but only a small portion could be excavated. The uppermost 0.8m of the deposit extended over only around 3–4m², and the lowest part, the infill of a crevice (Figure 2), had an area of less than 1m². Very few artefacts and bones were found in this infill, which was labelled layer 3.

Zone D: This was the smallest excavated zone, with an area of about 1.5–2.5m². It was near the cave wall and unlikely to have been a location of intense occupation, but served as a discard zone.

A total station was used to plot all the artefacts and bones in three dimensions, including, where possible, the inclination and orientation of the stone artefacts and animal bones. All excavated deposits were sieved through a 2mm mesh, allowing the recovery of a large number of stone chips, bone flakes, tooth fragments and rodent bones.

The layers that were recognised are shown in Figure 2 and described as follows:

Layer 1: In zone A this was primarily composed of pebbles and brownish-yellowish clay, 0.33–1.05m thick; in zone C it was a loose, yellowish, silty clay, 0.3–0.67m thick; and in zone D, it was only 50–150mm thick, severely disturbed by subsequent taphonomic and post-depositional effects. The bones and lithics were the same as those retrieved from the underlying layers.

Layer 2: A hard, reddish-brown clay, around 0.5–0.6m thick, with a few pebbles in some areas. Abundant animal bone and lithics were discovered in this layer.

Two hearths were uncovered in zone A at depths of 100mm and 200mm in layer 2. Charcoal samples were collected from zones A, C and D for radiocarbon dating and indicate a range of approximately 29–43 kya cal BP (Table 1). The majority of the readings, however, are from 29–33 kya. Given the date of 37 kya cal BP for layer 3, it seems that the date of 43 kya cal BP can be attributed to the ‘old wood’ effect.

Layer 3: (Zone C) characterised by a light-yellow sand layer with embedded, brownish clay lenses. Around 0.7m of this deposit was excavated, but it contained very few animal bones or lithics.

The superimposed hearths

Two hearths were uncovered in zone A, not far from the original prehistoric entrance of the cave that was destroyed by quarrying. The hearths were observed in the exposed section, before the excavations, as two white ash layers. Subsequent excavations and dating further confirmed that there were two superimposed hearths attributed to different periods.

Table 1. Radiocarbon dates from Longquan Cave (Henan Province).

Layer	Laboratory number	Material	¹⁴ C date	Calibrated age range (68.2%) †	Calibrated age range (95.4%) †
2	BA-110237	charcoal	26 620±210	28 762–29 062	28 551–29 196
2	BA-110238	charcoal	28 610±170	30 415–31 066	29 985–31 321
2	BA-111130	charcoal	40 740±300	42 028–42 677	41 674–42 977
2	BA-111131	charcoal	36 830±210	39 301–39 711	39 067–39 908
2	XA-9329	bone	30 840±19	32 704–32 900	32 617–32 992
2	XA-9329	bone	20 964±59	23 257–23 482	23 157–23 581
2	BETA-377066	charcoal	27 770±130	29 385–29 655	29 266–29 860
3	BA-111129	charcoal	34 280±170	36 606–36 982	36 446–37 241

† Calibrated with IntCal13 in OxCal v4.2 (Bronk Ramsey 2009; Reimer *et al.* 2013).

The upper hearth had a diameter of about 0.5–0.6m. A few brought-in small stones and a couple of older rocks lying on the bottom of the cave surrounded it. Three lenticular layers formed the stratigraphy of the hearth:

- 1) Viscous, brownish red clay, about 50–100mm thick, and similar to the clay outside the hearth. This layer contained burnt bone fragments and stone artefacts. A ¹⁴C sample from this layer gave a calibrated age of 28 873±322 cal BP (Table 1).
- 2) Cemented layer of burnt bones, stones, stone artefacts, about 150–200mm thick and dark grey in colour. Some burnt stones had been reduced to powder and only their shapes could be recognised.
- 3) Black ash layer about 10mm thick, comprising a mixture of powder, clay and charcoal. Once this layer was cleaned and the stones removed, a 20–30mm layer of grey-white soil was noted covering a larger hearth beneath.

The lower hearth was 0.8–1m in diameter and further divided into two layers:

- a) Cemented layer formed from a hardened crust of weathered stones, clay and burnt powder. At its centre was a black and red lens, about 20mm thick; other areas were black or grey, and about 10mm thick. Some burnt bone fragments were also found. A large quantity of burnt bones and stones were found on the surface of this hearth, and at its edge was a granite block that showed no trace of knapping but was broken into three parallel pieces, probably from the heat generated by the fire.
- b) Pure black ashy deposit, several millimetres thick, that consisted mainly of charcoal. Sample 5, taken from this hearth, produced a radiocarbon date of 39 487±420 cal BP (Table 1).

Radiocarbon dates

Radiocarbon dates are shown in Table 1. The age of the lower hearth in zone A is around 40 kya cal BP (sample 3 in Figure 2), and the upper one is around 30 kya cal BP (sample 1). The age of layer 3 in zone C is about 37 kya cal BP (sample 4). The upper part of zone D (sample 2) is dated to 31 kya cal BP, and the lower part (samples 5 and 6) to 33–29 kya cal

© Antiquity Publications Ltd, 2016

Table 2. Tool types of zones A, C, D and 'others', collected when the site was first investigated (see Figure 4 for examples of some of the tool types).

Zone	A		C		D		Others	
	N	%	N	%	N	%	N	%
Scrapper	18	72%	8	53.3%	5	62.5%	2	66.7%
Notch and denticulate	2	8%	1	6.7%	0	0%	0	0%
Point	1	4%	1	6.7%	0	0%	0	0%
Awl and borer	0	0%	2	13.3%	0	0%	0	0%
Burin	0	0%	2	13.3%	0	0%	0	0%
Hammer	4	16%	1	6.7%	3	37.5%	1	33.3%
Burnt stone	2	—	6	—	10	—	4	—
Total	25	100%	15	100%	8	100%	3	100%

BP. The wide date range for the deposits of Longquan Cave could in part be explained by the presence of dead wood. In addition, the stratigraphic interval between the two hearths could be shorter; the early date of 40 kya cal BP for the lower one seems excessive. In summary, we estimate that most of the accumulation at the back of the cave should fall in the range of 35–31 kya cal BP. The different nature of the sediments in the crevice within zone C, where rare artefacts were found, means that they could be much older than the main layer above.

The lithic industry

Overall, 512 pieces of flaked stone and 460 faunal elements were recovered. Of these, 164 stone artefacts and 153 faunal specimens came from zone A, 198 stone artefacts and 63 faunal specimens from zone C, and 134 artefacts and 244 animal bones were found in zone D. An additional 12 artefacts were collected when the site was first discovered.

A full technical analysis of the stone artefacts has been published elsewhere in Chinese (Zhou *et al.* 2011). These artefacts were mainly made of vein quartz, probably obtained from two localities, which could be divided into three grades according to its quality. The best was grade A—a white quartz with a compact texture from the Yihe riverbed about 3km from the site. Another, inferior, quartz was collected from natural crevices within 100m of the site. The latter can be divided into two grades of B and C according to the number of cracks.

The 496 excavated stone artefacts included 96 cores (14 bipolar, 82 with clear striking platforms) and 60 flakes (2 of which are bipolar, the others are knapping flakes). In addition, 73 stone tools were found comprising 33 scrapers, 3 notches and denticulates, 2 points, 2 awls and borers, 2 burins, 9 hammer stones and 22 burnt cobbles (Tables 2–4). In the preliminary report (Zhou 2011), 3 cobbles, and 31 hammers and stone anvils were listed. Following a re-examination, however, 22 of these artefacts are now recognised to show no indications of knapping, but signs of burning that caused larger nodules to fracture into smaller pieces; these are now listed as 'burnt items'. They are all granite apart from one that is composed of a coarse sandstone. As we did not find any cores or flakes made from these rocks, we assume that these are fire-cracked rocks or pot boilers (e.g. Gao *et al.* 2014).

Table 3. Debitage of zones A, C, D and 'others', collected when the site was first investigated.

	A		C		D		Others	
	N	%	N	%	N	%	N	%
Core	19	32.2%	34	42.5%	39	65.0%	4	26.7%
Flake	20	33.9%	26	32.5%	11	18.3%	3	20%
Chip	20	33.9%	20	25%	10	16.7%	8	53.3%
Total	59	100%	80	100%	60	100%	15	100%
Debris								
Chunk	75	–	91	–	53	–	6	–
Debitage fragment	7003	–	9616	–	1486	–	76	–

Table 4. Cores of zones A, C, D and 'others', collected when the site was first investigated.

Core type	A		C		D		Others	
	N	%	N	%	N	%	N	%
Single-platform core	3	15.8%	13	38.2%	4	10.3%	3	75%
Double-platform core	10	52.6%	12	35.3%	10	25.6%	1	25%
Multi-platform core	1	5.3%	6	17.7%	14	35.9%	0	0%
Discoïdal core	1	5.3%	0	0%	4	10.3%	0	0%
Bipolar	4	21%	3	8.8%	7	17.9%	0	0%
Total	19	100%	34	100%	39	100%	4	100%

There were also 58 broken flakes, 225 chunks and manydebitage fragments: 1327 were over 20mm long; 16 854 were 5–20mm in length; chips under 5mm in size were not counted because there were so many. They are, however, the best indication of the *in situ* knapping practised inside the cave.

The manufacturing process of the stone assemblage in Longquan Cave would be described as a simple 'core-and-flake' technique. The local vein-quartz was reduced by direct percussion and sometimes by bipolar technique. The small number of flake scars (three to four) on the cores indicates a low rate of flake production. Several kinds of platforms were present on the cores, including single-, double- and multi-platform cores. A few cores were discoïds. As can be seen in Figure 5.4, the bipolar technique accounted for a high proportion of cores on grade A vein-quartz. In terms of the *chaîne opératoire*, after obtaining a nodule of raw material, the first step was the removal of most of the cortical surfaces by hammering, before proceeding with the bipolar technique if the raw material was of the right quality.

Although most flakes have a nearly equal length and width, 30 have parallel sides and a length twice their width. These flake-blades have complicated dorsal ridges and no obvious regularity. The flint knappers appear to have taken advantage of longitudinal ridges purposely to produce flake-blades, but continuous reduction on one working face was limited.

Comments on the spatial distribution of lithics and bones

As seen in [Figure 5.1](#), high-quality quartz is most common in zone A, and is outnumbered by inferior quartz items in zones B and C. [Figures 5.2](#) and [5.3](#) demonstrate high frequencies of cores, hammers and anvils in zone D, but in zones A and C, flakes, broken flakes and tools (scrapers, points, burins and so on) were common. The frequency of bipolar cores, discoidal cores and multi-platform cores is higher in zone D than in zones A and C. In addition, [Figures 6.1](#) and [6.2](#) show that the size of flakes in each zone is almost the same, but large cores were scattered throughout zone D, in contrast to zones A and C.




Figure 4. The lithic industry of Longquan Cave. a) 1. Single platform core (LCMA2⑤:49); 2. Scraper (LCMA2④:10); 3. Scraper (LCMA2⑤:6); 4. Bipolar flake (LCMA2③:14); 5. Awl (LCMA2⑥:5); 6. Point (LCMA2③:13) 7. Drill (LCMC2⑭:2); 8. Discoidal core (LCMD2⑦:17). b) Heated stone (LCMA2⑤:42).

From the above considerations, we believe that the functions of zones A, C and D were different. First, in the core-and-flake tradition, hammers were used to detach flakes and shape some of them into scrapers and points. The latter were used for procuring and/or processing resources. From this perspective, zones A and C, where there were many flakes and tools, are interpreted as activity areas, and zone D, where so many cores, hammers and stone anvils were found, was probably used as a refuse area. Second, as previously mentioned, in zones A and C, single-platform and double-platform cores were abundant, but bipolar, multi-platform and discoidal cores dominated in zone D. Furthermore, the cores in zones A and C were in the early stages of reduction, whereas most cores in zone D were in their final, exhausted stage, and discoidal, bipolar and multi-platform cores were dumped because they had lost the correct angle for knapping. It seems that when a core was too small for reduction and the raw material was of high

quality, it was often reduced by bipolar technique so as to make better use of the raw material. [Figure 5.4](#) indicates the relationship between bipolar cores and raw materials.

The largest cores, mostly of low-quality quartz, were most common in zone D, while in zones A and C there were more high-quality, vein-quartz items ([Figure 5.1](#)). This




Figure 5. 1) Percentage distribution of the raw materials from zones A, C and D: Q1, 2 & 3: vein-quartz 1, 2 and 3; M: magmatic rock; S: sandstone; C: crystal. 2) Percentage of types of stone artefacts from zones A, C and D: CO: cores; FLA: flakes; IN-FLA: incomplete flakes. 3) Frequencies of core types from zones A, C and D: SIP: single-platform cores; DP: double-platform cores; SEP: multi-platform cores; DIS: discoidal cores; BIP: bipolar cores. 4) Comparison of raw materials of cores: Q1, 2 and 3: vein-quartz 1, 2 and 3; M: magmatic rock; S: sandstone; C: crystal.

high-quality quartz was intensively used and then discarded, but low-quality vein-quartz collected near the site was not so fully exploited. People used this latter material to produce just a few flakes and then abandoned it, although the cores had more usable platforms than the higher-quality quartz. We therefore suggest that zones A and C were used for making and using stone tools, while zone D functioned mainly as a dumping area. In sum, the occupants of Longquan Cave obtained high-quality stone and produced as many flakes as possible before discarding the reduced cores, but obtained fewer flakes from low-quality raw material.

The faunal assemblage

Preliminary observations on the bones indicate that these too show significant differences between the three areas. Figure 6.3 shows fewer bones in zone C than elsewhere. The animal




Figure 6. Size distribution of cores, flakes and bone fragments.

bones demonstrate different fragmentation patterns in zones A and D. In zone A bones are <150mm and mainly <100mm in length, but in zone D there are more bones longer than 150mm. This supports the interpretation that the spaces at the back of the cave were used for different purposes.

A total of 460 animal bones, including 159 teeth, were identified (Table 5). They include 301 pieces of bones >30mm, all belonging to deer and buffalo. Of these, 63 pieces bear cut marks, and 10 pieces have rodent tooth marks. Weathering had affected 79 pieces severely and 44 pieces to a lesser degree; 109 fragments were burnt (32 seriously) and 3 pieces bear signs of abrasion. The many bones gnawed by rodents indicate that the main accumulation took place in the ‘discard’ zone at the back of the cave. The overall faunal spectrum reflects a forested environment of a slightly warmer time during Marine Isotope Stage 3 (MIS 3).

Unique bone tool

An elongated bone tool (specimen LCMD2⑤:46), found in spit 5, zone D, layer 2, was identified as an awl shaped from an ulna, probably of buffalo (Figures 7 & 8). It is 180mm

Table 5. Measured values of taphonomic and archaeozoological variables from zones A, C, D and 'others', collected when the site was first investigated.

	A	C	D	Others
Number of ungulate taxa	6	5	7	3
NISP	38	17	54	12
MNI	8	7	11	4
Species abundance (% NISP) (tooth)				
Rhinocerotidae, gen. indet.	1	–	3	2
<i>Bubalus</i> sp.	10	1	19	4
<i>Cervus elaphus</i>	15	4	10	3
<i>Cervus nippon</i>	8	7	19	3
<i>Muntiacus</i> sp.	5	5	2	–
<i>Capricornis</i> Ogilby	1	–	–	–
Tapiridae	–	–	1	–
<i>Ovis</i> sp.	–	–	1	–
<i>Canis lupus</i> Linnaeus	–	–	2	–
<i>Nyctereutes</i> Temminck	–	1	–	–
<i>Lynx lynx</i> Linnaeus	1	–	–	–
<i>Panthera tigris</i>	–	–	1	–
<i>Acinonyx cf. jubatus</i>	1	–	–	–
<i>Vulpes</i> Frisch	4	3	–	1
<i>Crocota ultima</i>	1	–	1	–
Mustelidae Swainson	–	1	1	–
Ursidae Gray	4	1	1	–
<i>Sus</i> Linnaeus	–	–	1	–
<i>Rhizomyidae</i> Miller et Gidley	1	1	–	1
Osteichthyes	–	–	1	–
Demographic composition of main ungulate				
% prime-adult <i>Bubalus</i> sp. (dental wear)	50%	100%	68.4%	100%
% prime adult <i>Cervus elaphus</i> (dental wear)	80%	100%	80%	66.7%
% prime adult <i>Cervus nippon</i> (dental wear)	75%	42.9%	80%	50%
% prime adult <i>Muntiacus</i> sp. (dental wear)	40%	0%	100%	–
Bone surface modification				
% weathered (> stage 2)	84.2%	69.4%	82.5%	–
% abraded long bone edges	–	5.6%	–	–
% carnivore marks (of total NISP, excluding teeth)	–	–	–	–
% rodent marks (of total NISP, excluding teeth)	1%	2.8%	9.2%	–
Bone preservation and fragmentation				
% fresh (oblique) fracture angle	22.9%	19.45	30.2%	–
% fresh (v-shaped) fracture outline	22.9%	35.5%	26.7%	–
% impact fracture on bone edges	2.1%	3.2%	4.1%	–
% butchery marks	4.6%	2.3%	19%	–
Identified burnt bone	54.5%	30.6%	34.6%	–



Figure 7. Four views of the bone tool.

long, 35mm across at its maximum width, 4mm at the widest part of its point and weighs 43.3g. Analysis conducted with the assistance of the late A.J. Legge allows us to present the object as well as the microscopic images.

Figure 7 shows the entire object; Figure 8 shows the piece under an optical microscope. In Figure 8.1 the area marked by an upper oval shape had been polished, but it was subsequently gnawed by a rodent. Figure 8.2 shows the detail of this portion of the bone tool with a number of parallel traces that are probably rodent tooth marks. The traces shown in rectangles indicate that the objects were formed by cutting and scraping with a stone tool. From the traces that modified the surface, the manufacturing process was reconstructed as follows:

- 1) Obtain a buffalo ulna. The ulna is long and thin, and its medullary cavity is small and narrow, which is not an ideal choice as a source of marrow but makes it suitable for making bone artefacts because of its hard and robust texture.




Figure 8. Detailed microscopic analysis of the bone tool.

- 2) Shape the ulna by cutting a few centimetres from the proximal end along the lateral side of the bone and split into both the medial and lateral sides at the fracture. In order to keep the lateral and remove the medial, cut from medial to lateral again, about 80mm from the proximal end where the ulna becomes thinner. The cut is not vertical along the axis but is oblique, leaving a cut mark 47mm long.
- 3) Shape the pointed distal portion by scraping and polishing. The modification follows the natural tapering of the ulna in its medial section while the lateral side (that which faces the outer side of the body) is smooth and hard. The effects of polishing are visible under the microscope. The tip of the point was probably damaged and was not found.

On the whole, one side of the bone awl remained in its unworked initial state and tapers naturally from the middle to the tip. The other side displays cut marks indicating that the bone was an ulna that had deliberately been made into a tool. On this face, there are distinct traces of honing, suggesting that the bone awl was tapered to a point. The pointed

portion of the bone awl bears many marks along the vertical axis, presumably formed during taphonomic processes.

Discussion

The radiocarbon dates for the initial occupation at Longquan Cave (layer 3) indicate an age of around 40 kya cal BP, while layer 2 dates to around 35–31 kya cal BP (Table 1). The early date corresponds to that of the time of the human fossil in Tianyuan Cave (Shang *et al.* 2007); the more recent dates fit well with other Upper Palaeolithic sites in China, such as the Upper Cave at Zhoukoudian and several of the Shuidonggou localities (e.g. Pei *et al.* 2012; Li *et al.* 2013; Qu *et al.* 2013 and references therein). The foragers who temporarily camped in Longquan Cave used the simple core-and-flake technique to obtain flakes with sharp cutting edges.

The Longquan occupation falls within MIS 3, a period that was marked by relatively rapid climatic fluctuations from colder to warmer on a millennial scale. In this region, the Pacific monsoon drove the wetter conditions prevailing during summertime. We suggest that the cave provided a shelter during the rainy season.

As discussed earlier, there were two contrasting lithic traditions during the Chinese Upper Palaeolithic. One was a microblade technology that emerged around 26–25 kya cal BP and spread across the northern regions, including Xinjiang, Ningxia, Inner Mongolia, Shaanxi, Shanxi, Shandong, Jilin and Heilongjiang (Du 2007; Bar-Yosef & Wang 2012; Qu *et al.* 2013). The other, which spread through southern China, was dominated by a core-and-flake industry. It was replaced around 20–22 kya cal BP by a cobble tool industry. The lithic assemblage from Longquan Cave reflects the core-and-flake technology prevalent in southern China, but may have been influenced by the flake and blade technology from sites such as Shuidonggou near the Yellow River (Pei *et al.* 2012; Li *et al.* 2013).

The evidence for different activity areas inside Longquan Cave is similar to that from many Upper Palaeolithic sites in western Eurasia. Hence, while the stone tool tradition resembled that of earlier periods of the Chinese Palaeolithic, the later phases were characterised by the structured use of settlement space (Guan *et al.* 2011).

The appearance of polished bone tools marks a significant innovation. It is noteworthy that four caves in China of approximately the same age as Longquan also contained polished bone tools: the Upper Cave at Zhoukoudian (Pei 1939); Xiaogushan Cave in Liaoning Province (Huang *et al.* 1986); Chuanfan Cave in Fujian Province (Chen *et al.* 2001; Li & Fan 2006); and Ma'anshan in Guizhou (Zhang *et al.* 2016). The polished bone tools from Upper Cave, Zhoukoudian and Xiaogushan are very similar to examples from the Upper Palaeolithic of western Eurasia, whereas those found at Longquan, Ma'anshan and Chuanfan Caves are of simpler types.

From the above discussion, we can conclude that, in the early part of the late Palaeolithic, human adaptations in China differed from those seen in western and north-eastern Asia, primarily through the continued use of a simple core-and-flake technology. Longquan Cave, however, provides evidence of traits regarded as similar to other modern human behaviour, notably the distinct zoning of domestic areas for specific purposes, the use of hearths and rocks to store thermal energy and the use of polished bone tools.

Corroborative evidence for the use of core-and-flake technology by modern humans comes, for example, from the stone artefacts and skeletal remains excavated in Niah Cave in Malaysia (e.g. Barker *et al.* 2007). The occupants of Niah Cave practised simple core-and-flake technology, but their behaviour was comparable to that known from various parts of Eurasia. They may have used poison to capture mammals and fish, and may have made bamboo tools. Hence, the earliest modern humans in Southeast Asia employed an older tradition in making the lithic tools they used for wood-working, butchery and other tasks that required sharp edges. The discovery of the same lithic industry at Longquan Cave, along with the presence of a bone awl and dates of 39–31 kya cal BP for layer 2 (disregarding samples subject to old wood effect), supports the view that the early Upper Palaeolithic in this part of Asia followed a different *chaîne opératoire* than the contemporary tool-makers of western Eurasia.

Acknowledgements

The first author would like to thank Robin Dennell, whose scrutiny of this paper and suggestions resulted in invaluable amendments. Thanks are also offered to Qi Guoqin and Tong Haowen from the Institute of Vertebrate Paleontology and Paleoanthropology for identifying the fauna from Longquan Cave. Huang Yunping from Peking University examined the bone tool and confirmed that it had been polished. The project was supported by the 'Strategic Priority Research Programme—Climate Change: Carbon Budget and Relevant Issues' of the Chinese Academy of Sciences, grant number XDA05130201, National Natural Science Foundation of China, grant number 41372169 and by the Fundamental Research Funds for the Central Universities SKZZY2014029. Ofer Bar-Yosef wishes to thank the American School of Prehistoric Research (Peabody Museum, Harvard University), which sponsors his research in China.

References

- BALME, J. 2013. Of boats and string: the maritime colonization of Australia. *Quaternary International* 285: 68–75.
<http://dx.doi.org/10.1016/j.quaint.2011.02.029>
- BARKER, G., H. BARTON, M. BIRS, P. DALY, I. DATAN, A. DYKES, L. FARR, D. GILBERTSON, B. HARRISSON, C. HUNT, T. HIGHAM, L. KEALHOFER, J. KRIGBAUM, H. LEWIS, S. MCLAREN, V. PAZ, A. PIKE, P. PIPER, B. PYATT, R. RABETT, T. REYNOLDS, J. ROSE, G. RUSHWORTH, M. STEPHENS, C. STRINGER, J. THOMPSON & C. TURNEY. 2007. The 'human revolution' in lowland tropical Southeast Asia: the antiquity and behavior of anatomically modern humans at Niah Cave (Sarawak, Borneo). *Journal of Human Evolution* 52: 243–61.
<http://dx.doi.org/10.1016/j.jhevol.2006.08.011>
- BAR-YOSEF, O. 2015a. Chinese Palaeolithic challenges for interpretations of Palaeolithic archaeology. *Anthropologie* 53: 77–92.
- 2015b. In search of group identity—Late Pleistocene foragers in northern China, in F. Coward, R. Hosefield, M. Pope & F. Wenban-Smith (ed.) *Settlement, society and cognition in human evolution: landscapes in mind*: 214–33. Cambridge: Cambridge University Press.
<http://dx.doi.org/10.1017/CBO9781139208697>
- BAR-YOSEF, O. & A. BELFER-COHEN. 2013. Following Pleistocene road signs of human dispersals across Eurasia. *Quaternary International* 285: 30–43.
<http://dx.doi.org/10.1016/j.quaint.2011.07.043>
- BAR-YOSEF, O. & Y. WANG. 2012. Paleolithic archaeology in China. *Annual Review of Anthropology* 41: 319–35.
- BROOK RAMSEY, C. 2009. Bayesian analysis of radiocarbon dates. *Radiocarbon* 51: 337–60.
- CHEN, B.C., J.J. LI & S.F. YU. 2001. A Paleolithic site in Sanming city, Fujian Province. *Acta Anthropologica Sinica* 20: 256–70 (in Chinese).
- CHEN, C. 2007. Techno-typological comparison of microblade cores from East Asia and North America, in Y.V. Kuzmin, S.G. Keates & C. Shen (ed.) *Origin and spread of microblade technology in northeastern Asia and North America*: 7–38. Burnaby: Archaeology Press, Simon Fraser University.
- DENNEL, R. 2009. *The Palaeolithic settlement of Asia*. Cambridge: Cambridge University Press.
- DU, S.S. 2007. Periodization, regionalization and other problems of the Late Palaeolithic culture in northern China. *Acta Archaeologica Sinica* 26: 127–56 (in Chinese).

- FU, Q., M. MEYER, X. GAO, U. STENZEL, H.A. BURBANO, J. KELSO & S. PÄÄBO. 2013. DNA analysis of an early modern human from Tianyuan Cave, China. *Proceedings of the National Academy of Sciences of the USA* 110: 2223–27. <http://dx.doi.org/10.1073/pnas.1221359110>
- GAO, X. 2013. Alternative pathways to complexity: evolutionary trajectories in the Middle Paleolithic and Middle Stone Age. *Current Anthropology* 54(S8): 358–70. <http://dx.doi.org/10.1086/673502>
- GAO, X., Y. GUAN, F. CHEN, M. YI, S. PEI & H. WANG. 2014. The discovery of late Paleolithic boiling stones at SDG 12, north China. *Quaternary International* 347: 91–96. <http://dx.doi.org/10.1016/j.quaint.2014.07.003>
- GUAN, Y., X. GAO, H.M. WANG, F.Y. CHEN, S.W. PEI, X.L. ZHANG & Z.Y. ZHOU. 2011. Spatial analysis of intra-site use at a Late Palaeolithic site at Shuidonggou, northwest China. *Chinese Science Bulletin* 56: 3457–63.
- GREEN, R.E., J. KRAUSE, A.W. BRIGGS, T. MARICIC, U. STENZEL, M. KIRCHER, N. PATTERSON, H. LI, W. ZHAI, M. HSI-YANG FRITZ, N.F. HANSEN, E.Y. DURAND, A.-S. MALASPINAS, J.D. JENSEN, T. MARQUES-BONET, C. ALKAN, K. PRÜFER, M. MEYER, H.A. BURBANO, J.M. GOOD, R. SCHULTZ, A. AXIMU-PETRI, A. BUTTHOF, B. HÖBER, B. HÖFFNER, M. SIEGEMUND, A. WEIHMANN, C. NUSBAUM, E.S. LANDER, C. RUSS, N. NOVOD, J. AFFOURTIT, M. EGHOLM, C. VERNA, P. RUDAN, D. BRAJKOVIC, Z. KUCAN, I. GÜŠIC, V.B. DORONICHEV, L.V. GOLOVANOVA, C. LALUEZA-FOX, M. DE LA RASILLA, J. FORTEA, A. ROSAS, R.W. SCHMITZ, P.L.F. JOHNSON, E.E. EICHLER, D. FALUSH, E. BIRNEY, J.C. MULLIKIN, M. SLATKIN, R. NIELSEN, J. KELSO, M. LACHMANN, D. REICH & S. PÄÄBO. 2010. A draft sequence of the Neanderthal genome. *Science* 328: 710–28. <http://dx.doi.org/10.1126/science.1188021>
- HABGOOD, P.J. & N.R. FRANKLIN. 2008. The revolution that didn't arrive: a review of Pleistocene Sahul. *Journal of Human Evolution* 55: 187–222. <http://dx.doi.org/10.1016/j.jhevol.2007.11.006>
- HUANG, W.W., Z.H. ZHANG, R.Y. FU, B.F. CHEN, J.Y. LIU, M.Y. ZHU & H.K. WU. 1986. Bone artifact and adornment uncovered in Xiaogushan Cave, Haicheng, Liaoning province. *Acta Anthropologica Sinica* 5: 259–66 (in Chinese).
- LI, J.J. & X.C. FAN. 2006. Formation and stratigraphy of Chuanfan Cave. *Acta Anthropologica Sinica* 25: 153–60 (in Chinese).
- LI, F., S.L. KUHN, X. GAO & F.Y. CHEN. 2013. Re-examination of the dates of large blade technology in China: a comparison of Shuidonggou locality 1 and locality 2. *Journal of Human Evolution* 64: 161–68. <http://dx.doi.org/10.1016/j.jhevol.2012.11.001>
- MELLARS, P., K.C. GORI, M. CARR, P.A. SOARES & M.B. RICHARDS. 2013. Genetic and archaeological perspectives on the initial modern human colonization of southern Asia. *Proceedings of the National Academy of Sciences of the USA* 110: 10699–704. <http://dx.doi.org/10.1073/pnas.1306043110>
- PEI, W.C. 1939. The upper cave industry of Choukoutian. *Palaeontologia Sinica* (D9): 1–36.
- PEI, S.W., X. GAO, H. WANG, K. KUMAN, C.J. BAE, F. CHEN, Y. GUAN, Y. ZHANG, X. ZHANG, F. PENG & X. LI. 2012. The Shuidonggou site complex: new excavations and implications for the earliest Late Paleolithic in North China. *Journal of Archaeological Science* 39: 3610–26. <http://dx.doi.org/10.1016/j.jas.2012.06.028>
- QU, T.L., O. BAR-YOSEF, Y.P. WANG & X.H. WU. 2013. The Chinese Upper Paleolithic: geography, chronology, and techno-typology. *Journal of Archaeological Research* 21: 1–73. <http://dx.doi.org/10.1007/s10814-012-9059-4>
- REIMER, P.J., E. BARD, A. BAYLISS, J.W. BECK, P.G. BLACKWELL, C. BRONK RAMSEY, C.E. BUCK, H. CHENG, R.L. EDWARDS, M. FRIEDRICH, P.M. GROOTES, T.P. GUILDERSON, H. HAFLIDASON, I. HAJDAS, C. HATTÉ, T.J. HEATON, D.L. HOFFMANN, A.G. HOGG, K.A. HUGHEN, K.F. KAISER, B. KROMER, S.W. MANNING, M. NIU, R.W. REIMER, D.A. RICHARDS, E.M. SCOTT, J.R. SOUTHON, R.A. STAFF, C.S.M. TURNER & J. VAN DER PLICHT. 2013. IntCal13 and Marine13 radiocarbon age calibration curves 0–50,000 years cal BP. *Radiocarbon* 55: 1869–87. http://dx.doi.org/10.2458/azu_js_rc.55.16947
- SHANG, H. & E. TRINKAUS. 2010. *The early modern human from Tianyuan Cave, China*. Austin: Texas A&M University Press.
- SHANG, H., H. TONG, S. ZHANG, F. CHEN & E. TRINKAUS. 2007. An early modern human from Tianyuan Cave, Zhoukoudian, China. *Proceedings of the National Academy of Sciences of the USA* 104: 6573–78. <http://dx.doi.org/10.1073/pnas.0702169104>
- ZHANG, J.-F., X.-Q. WANG, W.-L. QIU, G. SHELACH, G. HU, X. FU, M.-G. ZHUANG & L.-P. ZHOU. 2011. The Paleolithic site of Longwangchan in the middle Yellow River, China: chronology, paleoenvironment and implications. *Journal of Archaeological Science* 38: 1537–50. <http://dx.doi.org/10.1016/j.jas.2011.02.019>

Longquan Cave

ZHANG, S-Q., F. D'ERRICO, L.R. BACKWELL, Y. ZHANG,
F. GEN & X. GAO. 2016. Ma'anshan cave and the
origin of bone tool technology in China. *Journal of
Archaeological Science* 65: 57–69.

ZHOU, L., X. LI, H.J. PANG & S.S. DU. 2011.
Preliminary analysis of lithic assemblage excavated
in Longquan Cave, Henan Province, central China.
Quaternary Research 31: 972–81 (in Chinese).

Received: 10 April 2015; Accepted: 10 July 2015; Revised: 21 July 2015